

Metals and Non-metals

Question 1: Explain the meanings of malleable and ductile.

Answer:

Malleable: Substances that can be beaten into thin sheets are called malleable. For example, most of the metals are malleable.

Ductile: Substances that can be drawn into thin wires are called ductile. For example, most of the metals are ductile.

Question 2: Why is sodium kept immersed in kerosene oil?



Answer: Sodium and potassium are very reactive metals and combine explosively with air as well as water. Hence, they catch fire if kept in open. Therefore, to prevent accidental fires and accidents, sodium is stored immersed in kerosene oil.

Question 3: Write equations for the reactions of

(i) iron with steam

(ii) calcium and potassium with water

Answer:



Question 4: Samples of four metals A, B, C and D were taken and added to the following solution one by one. The results obtained have been tabulated as follows.

Metal Iron (II) sulphate Copper (II) sulphate Zinc sulphate Silver nitrate

A. No reaction Displacement

B. Displacement No reaction

C. No reaction No reaction No reaction Displacement

D. No reaction No reaction No reaction No reaction

Use the Table above to answer the following questions about metals A, B, C and D.

- (i) Which is the most reactive metal?
- (ii) What would you observe if B is added to a solution of copper (II) sulphate?
- (iii) Arrange the metals A, B, C and D in the order of decreasing reactivity.

Answer: Explanation

$A + \text{FeSO}_4 \rightarrow$ No reaction, i.e., A is less reactive than iron

$A + \text{CuSO}_4 \rightarrow$ Displacement, i.e., A is more reactive than copper

$B + \text{FeSO}_4 \rightarrow$ Displacement, i.e., B is more reactive than iron

$B + \text{ZnSO}_4 \rightarrow$ No reaction, i.e., B is less reactive than zinc

$C + \text{FeSO}_4 \rightarrow$ No reaction, i.e., C is less reactive than iron


$C + \text{CuSO}_4 \rightarrow$ No reaction, i.e., C is less reactive than copper

$C + \text{ZnSO}_4 \rightarrow$ No reaction, i.e., C is less reactive than zinc

$C + \text{AgNO}_3 \rightarrow$ Displacement, i.e., C is more reactive than silver

$D + \text{FeSO}_4/\text{CuSO}_4/\text{ZnSO}_4/\text{AgNO}_3 \rightarrow$ No reaction, i.e., D is less reactive than iron, copper, zinc, and silver

From the above equations, we obtain:



- (i) B is the most reactive metal.
- (ii) If B is added to a solution of copper (II) sulphate, then it would displace copper.

$B + \text{CuSO}_4 \rightarrow$ Displacement

(iii) The arrangement of the metals in the order of decreasing reactivity is:

$B > A > C > D$

Question 5: Which gas is produced when dilute hydrochloric acid is added to a reactive metal? Write the chemical reaction when iron reacts with dilute H₂SO₄.

Answer: Hydrogen gas is evolved when dilute hydrochloric acid is added to a reactive metal.

When iron reacts with dilute H₂SO₄, iron (II) sulphate with the evolution of hydrogen gas is formed.



Question 6: What would you observe when zinc is added to a solution of iron (II) sulphate? Write the chemical reaction that takes place.

Answer: Zinc is more reactive than iron. Therefore, if zinc is added to a solution of iron (II) sulphate, then it would displace iron from the solution.




Question 7: (i) Write the electron-dot structures for sodium, oxygen and magnesium.


(ii) Show the formation of Na₂O and MgO by the transfer of electrons.

(iii) What are the ions present in these compounds?

Answer: (i) The representation of elements with valence electrons as dots around the elements is referred to as electron-dot structure for elements.



(ii)



(iii) The ions present in Na₂O are Na⁺ and O²⁻ ions and in MgO are Mg²⁺ and O²⁻ ions.

Question 8: Why do ionic compounds have high melting points?

Answer: Ionic compounds have strong electrostatic forces of attraction between the ions. Therefore, it requires a lot of energy to overcome these forces. That is why ionic compounds have high melting points.

Question 9: Define the following terms.

(i) Mineral (ii) Ore (iii) Gangue

Answer: (i) Mineral: Most of the elements occur in nature as in combined state as minerals. The chemical composition of minerals is fixed.

(ii) Ore: Minerals from which metals can be extracted profitably are known as ores.

(iii) Gangue: The impurities (sand, silt, soil, gravel, etc.) present in the ore are called gangue.


Question 10: Name two metals which are found in nature in the free state.

The metals at the bottom of the reactivity series are mostly found in free state. For example: gold, silver, and platinum.

Question 11: What chemical process is used for obtaining a metal from its oxide?

Answer: The chemical process used for obtaining a metal from its oxide is reduction. In this process, metal oxides are reduced by using suitable reducing agents such as carbon or by highly reactive metals to displace the metals from their oxides.

For example, zinc oxide is reduced to metallic zinc by heating with carbon.



Manganese dioxide is reduced to manganese by treating it with aluminium powder. In this case, aluminium displaces manganese from its oxide.



Oxides of more reactive metals are reduced by electrolysis.

Question 12:

Define the following terms.

- (i) Mineral (ii) Ore (iii) Gangue

Answer:

- (i) Mineral : The naturally occurring elements or compounds in the earth's crust are known as minerals.
- (ii) Ore : Some minerals contain a large amount of a particular metal and metals can be extracted from them profitably. These minerals are known as ores.
- (iii) Gangue : The impurities (sand, silt, soil, gravel, etc.) present in the ore are called gangue.

Question 13: Metallic oxides of zinc, magnesium and copper were heated with the following metals.

Metal	Zinc	Magnesium	Copper
-------	------	-----------	--------

Zinc oxide	-	-	-
------------	---	---	---

Magnesium oxide	-	-	-
-----------------	---	---	---

Copper oxide	-	-	-
--------------	---	---	---

In which cases will you find displacement reactions taking place?

Answer:

Metal	Zinc	Magnesium	Copper
-------	------	-----------	--------

Zinc oxide	No reaction	Displacement	No reaction
------------	-------------	--------------	-------------

Magnesium oxide	No reaction	No reaction	No reaction
-----------------	-------------	-------------	-------------

Copper oxide	Displacement	Displacement	No reaction
--------------	--------------	--------------	-------------

Question 14: Which metals do not corrode easily?

Answer: More reactive a metal is, more likely it is to be corroded. Therefore, less reactive metals are less likely to get corroded. This is why gold plating provides high resistance to corrosion.

Question 15: What are alloys?

Answer: Alloys are homogeneous mixtures of two or more elements. The elements could be two metals, or a metal and a non-metal. An alloy is formed by first melting the metal and then dissolving the other elements in it. For example, steel is an alloy of iron and carbon.

Question 16: Which of the following pairs will give displacement reactions?

- (a) NaCl solution and copper metal
- (b) MgCl₂ solution and aluminium metal
- (c) FeSO₄ solution and silver metal
- (d) AgNO₃ solution and copper metal.
- (d) AgNO₃ solution and copper metal

Question 17: Which of the following methods is suitable for preventing an iron frying pan from rusting?

- (a) Applying grease
- (b) Applying paint
- (c) Applying a coating of zinc
- (d) all of the above.

Answer: (c) Applying a coating of zinc

(We can also apply grease and paint to prevent iron from rusting. However, in case of iron frying pan, grease and paint cannot be applied because when the pan will be heated and washed again and again, the coating of grease and paint would get destroyed.)

Question 18: An element reacts with oxygen to give a compound with a high melting point. This compound is also soluble in water. The element is likely to be

- (a) calcium
- (b) carbon
- (c) silicon
- (d) iron

Answer: (a) The element is likely to be calcium

Question 19: Food cans are coated with tin and not with zinc because

- (a) zinc is costlier than tin.
- (b) zinc has a higher melting point than tin.
- (c) zinc is more reactive than tin.
- (d) zinc is less reactive than tin.

Answer: (c) Food cans are coated with tin and not with zinc because zinc is more reactive than tin.

Question 20: You are given a hammer, a battery, a bulb, wires and a switch.

- (a) How could you use them to distinguish between samples of metals and non-metals?
- (b) Assess the usefulness of these tests in distinguishing between metals and non-metals.

Answer: (a) With the hammer, we can beat the sample and if it can be beaten into thin sheets (that is, it is malleable), then it is a metal otherwise a non-metal. Similarly, we can use the battery, bulb, wires, and a switch to set up a circuit with the sample. If the sample conducts electricity, then it is a metal otherwise a non-metal.

(b) The above tests are useful in distinguishing between metals and non-metals as these are based on the physical properties. No chemical reactions are involved in these tests.

Question 21: What are amphoteric oxides? Give two examples of amphoteric oxides.

Those oxides that behave as both acidic and basic oxides are called amphoteric oxides.

Examples: aluminium oxide (Al_2O_3), zinc oxide (ZnO)

Question 22: Name two metals which will displace hydrogen from dilute acids, and two metals which will not.

Answer: Metals that are more reactive than hydrogen displace it from dilute acids. For example: sodium and potassium. Metals that are less reactive than hydrogen do not displace it. For example: copper and silver.

Question 23: In the electrolytic refining of a metal M, what would you take as the anode, the cathode and the electrolyte?


Answer: In the electrolytic refining of a metal M:

Anode → Impure metal M

Cathode → Thin strip of pure metal M

Electrolyte → Solution of salt of the metal M

Question 24: Pratyush took sulphur powder on a spatula and heated it. He collected the gas evolved by inverting a test tube over it, as shown in figure below.



(a) What will be the action of gas on

(i) dry litmus paper?


(ii) moist litmus paper?

(b) Write a balanced chemical equation for the reaction taking place.

Answer: (a) (i) There will be no action on dry litmus paper.

(ii) Since the gas is sulphur dioxide (SO₂), it turns moist blue litmus paper to red because sulphur dioxide reacts with moisture to form sulphurous acid.

(b)



Question 24: State two ways to prevent the rusting of iron.

Answer: Two ways to prevent the rusting of iron are:


(i) Oiling, greasing, or painting: By applying oil, grease, or paint, the surface becomes water proof and the moisture and oxygen present in the air cannot come into direct contact with iron. Hence, rusting is prevented.

(ii) Galvanisation: An iron article is coated with a layer of zinc metal, which prevents the iron to come in contact with oxygen and moisture. Hence, rusting is prevented.

Question 25: What type of oxides is formed when non-metals combine with oxygen?

Answer: Non-metals combine with oxygen to form acidic oxides.

For example:



Question 26: Give reasons

- (a) Platinum, gold and silver are used to make jewellery.
- (b) Sodium, potassium and lithium are stored under oil.
- (c) Aluminium is a highly reactive metal, yet it is used to make utensils for cooking.
- (d) Carbonate and sulphide ores are usually converted into oxides during the process of extraction.

Answer: (a) Platinum, gold, and silver are used to make jewellery because they are very lustrous. Also, they are very less reactive and do not corrode easily.

(b) Sodium, potassium, and lithium are very reactive metals and react very vigorously with air as well as water. Therefore, they are kept immersed in kerosene oil in order to prevent their contact with air and moisture.

(c) Though aluminium is a highly reactive metal, it is resistant to corrosion. This is because aluminium reacts with oxygen present in air to form a thin layer of aluminium oxide. This oxide layer is very stable and prevents further reaction of aluminium with oxygen. Also, it is light in weight and a good conductor of heat. Hence, it is used to make cooking utensils.

(d) Carbonate and sulphide ores are usually converted into oxides during the process of extraction because metals can be easily extracted from their oxides rather than from their carbonates and sulphides

Question 27: You must have seen tarnished copper vessels being cleaned with lemon or tamarind juice. Explain why these sour substances are effective in cleaning the vessels.

Answer: Copper reacts with moist carbon dioxide in air to form copper carbonate and as a result, copper vessel loses its shiny brown surface forming a green layer of copper carbonate. The citric acid present in the lemon or tamarind neutralises the basic copper carbonate and dissolves the layer. That is why, tarnished copper vessels are cleaned with lemon or tamarind juice to give the surface of the copper vessel its characteristic lustre.

Question 28: Differentiate between metal and non-metal on the basis of their chemical properties.


Answer:

Metal	Non-
--------------	-------------

	metal
--	--------------

Metals are electropositive.	Non-metals are electronegative.
-----------------------------	---------------------------------

They react with oxygen to form basic oxides.	They react with oxygen to form acidic or neutral oxides.
--	--



These have ionic bonds.	
-------------------------	--

These have covalent bonds.	
----------------------------	--

They react with water to form oxides and hydroxides. Some They do not react with water. metals react with cold water, some with hot water, and some with steam.




They react with dilute acids to form a salt and evolve hydrogen gas. However, Cu, Ag, Au, Pt, Hg do not react. They do not react with dilute acids. These are not capable of replacing hydrogen.



They react with the salt solution of metals. Depending on reactivity, displacement reaction can occur. These react with the salt solution their of non-metals.



They act as reducing agents (as they can easily lose electrons). These act as oxidising agents (as electrons). they can gain electrons).




Question 29: A man went door to door posing as a goldsmith. He promised to bring back the glitter of old and dull gold ornaments. An unsuspecting lady gave a set of gold bangles to him which he dipped in a particular solution. The bangles sparkled like new but their weight was reduced drastically. The lady was upset but after a futile argument the man beat a hasty retreat. Can you play the detective to find out the nature of the solution he had used?

Answer: He must have dipped the gold metal in the solution of aqua regia – a 3:1 mixture of conc. HCl and conc. HNO₃. Aqua regia is a fuming, highly corrosive liquid. It dissolves gold in it. After dipping the gold ornaments in aqua regia, the outer layer of gold gets dissolved and the inner shiny layer appears. That is why the weight of gold ornament reduced.

Question 30: Give reasons why copper is used to make hot water tanks and not steel (an alloy of iron).

Answer: Copper does not react with cold water, hot water, or steam. However, iron reacts with steam. If the hot water tanks are made of steel (an alloy of iron), then iron would react vigorously with the steam formed from hot water.



That is why copper is used to make hot water tanks, and not steel.