

# **NCERT Solutions for Class 8 Science Chapter 4**

**Materials : Metals and Non-Metals** 

Exercise: Solutions of Questions on Page Number: 53 Q1:
Which of the following can be beaten into thin sheets?
(a) Zinc (b) Phosphorus (c) Sulphur (d) Oxygen
Answer:
(a) Zinc
Q2:
Which of the following statements is correct?
(a) All metals are ductile.
(b) All non-metals are ductile.
(c) Generally, metals are ductile.
(d) Some non-metals are ductile.
Answer:
(c) Generally, metals are ductile
However, mercury metal- a liquid at room temperature - cannot be drawn into wires and is not ductile.
Q3:
Fill in the blanks:
(a) Phosphorus is a verynon-metal.
(b) Metals are conductors of heat and
(c) Iron isreactive than copper.
(d) Metals react with acids to producegas.
Answer:
(a) Phosphorus is a very <u>reactive</u> non-metal.
(b) Metals are <u>good</u> conductors of heat and <u>electricity</u> .
(c) Iron is <u>more</u> reactive than copper.
(d) Metals react with acids to produce hydrogen gas



Q4:		
Mark 'T' if the statement is true and 'F' if it is false.		
(a) Generally, non-metals react with acids. ( )		
(b) Sodium is a very reactive metal. ( )		
(c) Copper displaces zinc from zinc sulphate solution. ( )		
(d) Coal can be drawn into wires. ( )		
Answer:		
(i) Generally, non-metals react with acids. (F)		
(ii) Sodium is a very reactive metal. (T)		
(iii) Copper displaces zinc from zinc sulphate solution. (F)		
(iv) Coal can be drawn into wires. (F)		
Q5 :		
Some properties are listed in the following Table. Distinguis properties.	sh between metals and no	n-metals on the basis
Properties	Metals	Non-metals
1. Appearance		
<ol> <li>Appearance</li> <li>Hardness</li> </ol>		

# Answer:

4. Ductility

5. Heat Conduction

6. Conduction of Electricity

Properties	Metals	Non-metals	



1.	Appearance	Lustrous	Dull
2.	Hardness	Hard	Soft
3.	Malleability	Can be beaten into thin	Cannot be beaten into thin
4.	Ductility	sheets	sheets
5.	Heat conduction	Can be drawn into wires	Cannot be drawn into wires
6.	Conduction of	Good conductors of heat	Poor conductors of heat
electr	icity		Poor conductors of electricity
		electricity	
5. 6.	Ductility Heat conduction Conduction of	Can be drawn into wires Good conductors of heat	Cannot be drawn into wires Poor conductors of heat

#### Q6:

Give reasons for the following.

- (a) Aluminium foils are used to wrap food items.
- (b) Immersion rods for heating liquids are made up of metallic substances.
- (c) Copper cannot displace zinc from its salt solution.
- (d) Sodium and potassium are stored in kerosene.

# Answer:

- (a) Aluminium foils are used to wrap food items because aluminium metal is malleable. Therefore, it can be beaten into thin foils.
- (b) Metals are good conductors of heat and electricity. Therefore, immersion rods for heating liquids are made of metallic substances.
- (c) A metal can displace a less reactive metal from its salt in an aqueous solution. But zinc is more reactive than copper. Therefore, copper cannot displace zinc from its salt solution.

 $Cu_{(s)}$ +  $ZnSO_{4 \, (aq)} \rightarrow No \ reaction$ 

(d) Sodium and potassium are stored in kerosene because they are highly reactive elements. They can easily catch fire even when in contact with air.

### Q7:

Can you store lemon pickle in an aluminium utensil? Explain.

# Answer:

Lemon pickle cannot be stored in aluminium utensils because lemon pickle contains acids, which can react with aluminium (metal) liberating hydrogen gas. This can lead to the spoiling of the pickle.

Q8:



Match the substances given in Column A with their uses given in Column B.

A			В	
(i)	Gold	(a)	Thermometers	
(ii)	Iron	(b)	Electric wire	
(iii)	Aluminium	(c)	Wrapping food	
(iv)	Carbon	(d)	Jewellery	
(v)	Copper	(e)	Machinery	
(vi)	Mercury	(f)	Fuel	

## Answer:

A			В	
(i)	Gold	(d)	Jewellery	
(ii)	Iron	(e)	Machinery	
(iii)	Aluminium	(c)	Wrapping food	
(iv)	Carbon	(f)	Fuel	
(v)	Copper	(b)	Electric wire	
(vi)	Mercury	(a)	Thermometers	

# Q9:

What happens when

- (a) Dilute sulphuric acid is poured on a copper plate?
- (b) Iron nails are placed in copper sulphate solution?

Write word equations of the reactions involved.

# Answer:

(a) When dilute sulphuric acid is poured on a copper plate, there will be no reaction between copper and dilute sulphuric acid as copper is less reactive and hence no products will be formed.



(b) Iron being more reactive displaces copper from copper sulphate solution. In this reaction, the blue colour of copper sulphate fades and there is deposition of copper on the iron nail.

Iron (Fe) + Copper sulphate (CuSO<sub>4</sub>) → Iron sulphate (FeSO<sub>4</sub>) + Copper (Cu)

#### Q10:

Saloni took a piece of burning charcoal and collected the gas evolved in a test tube.

- (a) How will she find the nature of the gas?
- (b) Write down word equations of all the reactions taking place in this process.

#### Answer:

- (a) Add a few drops of water in the test tube containing gas. Now, cover the test tube and shake it well. After shaking, test the solution with blue litmus and red litmus. It will turn blue litmus red. Thus, the gas is acidic in nature.
- (b) Charcoal reacts with oxygen to form carbon dioxide gas.

$$\begin{array}{cccc} C & + & O_2 & \longrightarrow & CO_2 \uparrow \\ \hline \begin{pmatrix} Carbon \\ from \\ charcoal \end{pmatrix} & \begin{pmatrix} Oxygen \end{pmatrix} & \begin{pmatrix} Carbon & dioxide \end{pmatrix} \\ \end{array}$$

Carbon dioxide reacts with water to form carbonic acid, which turns blue litmus paper red.

$$CO_2$$
 +  $H_2O$   $\longrightarrow$   $H_2CO_3$  (Carbon dioxide) (Water) (Carbonic acid) (Turns blue litmus red)

# Q11 :

One day Reeta went to a jeweller's shop with her mother. Her mother gave an old gold jewellery to the goldsmith to polish. Next day when they brought the jewellery back, they found that there was a slight loss in its weight. Can you suggest a reason for the loss in weight?

# Answer:

To polish a gold ornament, it is dipped in a liquid called aqua regia (a mixture of hydrochloric acid and nitric acid). On getting the environment of aqua regia, the outer layer of gold dissolves and the inner shiny layer appears. The dissolving of the layer causes a reduction in the weight of the jewellery.